



USEFUL SITES FOR INFORMATION ON TOWER LIGHTING REQUIREMENTS

PROPOSED CONSTRUCTION OR ALTERATION OF A TOWER SITE
http://www.faa.gov/documentLibrary/media/Form/FAA_Form_7460-1_2017.pdf

DATABASE OF FAA ADVISORY CIRCULARS

- AC70/7460-1M-Obstruction Marking & Lighting
- AC 150/5345-53D Lighting Equipment Certification Program

RECENT ENFORCEMENT ACTIONS
<http://www.fcc.gov/eb/broadcast/asml.html>

FCC REGULATIONS FOR MONITORING

- 17.47 (24-hour tower lighting confirmation & 90-day inspection requirement)
- 17.48 (30-minute alarm notification)
- 17.49 (Tower lighting maintenance record requirements)
- 17.51 (Time when lights should be exhibited)

http://www.access.gpo.gov/nara/cfr/waisidx_04/47cfr17_04.html

FAA NOTICE CRITERIA TOOL
<https://oeaaa.faa.gov/oeaaa/external/portal.jsp>

FLASH TECHNOLOGY SERVICES

- Flash University – Component Level Training
- Monitoring and Call Center Solutions
- 24/7/365 National Operations Center
- Nationwide Certified Service Provider Program

The leader in FCC/FAA compliant,
eco-friendly lighting & monitoring solutions.

TOWER LIGHTING GUIDELINES

AS SPECIFIED BY THE FEDERAL AVIATION ADMINISTRATION

Bright Ideas. Brilliant Results.

332 NICHOL MILL LANE
FRANKLIN, TENNESSEE 37067
PHONE: 615.503.2000 / 800.821.5825
FAX: 615.261.2600
flashsales@spx.com
flashtechnology.com

DTWRG-1M Rev A

©2021 Flash Technology



PAINT AND RED LIGHTING


Towers marked with paint for day and red/infrared (IR) lights for night.
AC 70/7460-1M

WHITE LIGHTING

Towers marked with white lights for day and white lights for night.
AC 70/7460-1M

DUAL LIGHTING

Towers marked with white lights for day and red/infrared lights for night.
AC 70/7460-1M



These guidelines are for reference only and are not to scale. FPM means flashes per minute. Please contact Flash Technology or the Federal Aviation Administration for specific questions regarding obstruction marking. All heights are based on AGL (above ground level) measurements.